

Rick D. Nydegger

Brent P. Forney

Thomas R. Knapp

Larry R. Jacobson

Jonathan W. Richman

David R. Wright

John C. Springer

John M. Gunn

Charles L. Roberts

Dana T. Tengren

Eric L. Macchio

Charles J. Veverka

Robin L. Phillips

Richard C. Gilmore *

Stephen A. Brennan

R. Burns Israelsen

David R. Todd

Gregory M. Taylor

David B. Dillenbach

L. David Griffin

Adrian J. Lee

Frank D. Roy

Carl T. Reed



WORKMAN | NYDEGGER

INTELLECTUAL PROPERTY ATTORNEYS

1000 EAGLE GATE TOWER

60 EAST SOUTH TEMPLE

SALT LAKE CITY, UTAH 84111

TELEPHONE: (801) 533-9800

FAX: (801) 328-1707

WEBSITE: [HTTP://WWW.WNLAW.COM](http://www.wnlaw.com)

PATENT APPLICATION

Docket No: 15436.247.40.1.1

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of

Serial No.: 10/789,126) Art Unit
Filing Date: February 27, 2004) 2633
Confirmation No.: 7346)
For: OPTICAL LATCH BASED ON LASING)
SEMICONDUCTOR OPTICAL AMPLIFIERS)



R. PARRISH FREEMAN, JR.
PETER F. MAIEN, JR.
L. REX STEARNS, PH.D.
WILLIAM R. RICHTER
ERIC M. KAMERATH
ROBERT E. AVOCOK
JENS C. JENKINS
KEVIN W. STINGER
WILLIAM J. ATHAY
MICHAEL B. DODD
RYAN D. BENSON
SARA D. JONES
TIGE KELLER
JANNA L. JENSEN
MATTHEW D. TODD
J. LAVAR OLDHAM
MICHAEL J. FRODSHAM
JOSEPH L. KRUPA
BRETT A. HANSEN
BRETT I. JOHNSON
MATTHEW A. BARLOW
WESLEY C. ROSANDER
ANDREW S. HANSEN
CHAD E. NYDEGGER
JOSEPH G. PIA
CLINTON E. DUKE
DAVID J. LORENZ, *
RYAN N. FARR
JAMES B. BISHOP

TRANSMITTAL FOR INFORMATION DISCLOSURE STATEMENT

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

Transmitted herewith for filing and pursuant to 37 C.F.R. § 1.97 is an Information Disclosure Statement, which includes the following statements, if any, required variously by 37 C.F.R. § 1.98:

- Statement of relevance of selected cited references not in the English language which are not translated.
- Statement that selected cited references are substantially cumulative of an enclosed or previously submitted reference.
- Statement that selected cited references were previously cited by or submitted to the United States Patent and Trademark Office in a prior application which is relied upon for an earlier filing date under 35 U.S.C. § 120.

A. Additional Materials Required Due to Content of Information Disclosure Statement

Transmitted are the following documents in addition to the Information Disclosure Statement as required variously under 37 C.F.R. § 1.98:

- Form PTO-1449 listing 84 references submitted for consideration.
- A copy of 44 Non-US references listed on the Form PTO-1449.
- English translations of _____ (_____) of the references listed on the Form PTO-1449 which are not in the English language.
- Copies of the following documents from the prosecution of a previous, related application:
 - Form PTO-1449 AND INFORMATION DISCLOSURE STATEMENT; and
 - Form PTO-892

B. Additional Materials Required Due to Timing of Filing of Information Disclosure Statement

The transmitted Information Disclosure Statement is being filed within one (1) of the following four (4) time periods:

- I. Prior to the later of either three (3) months following the filing date or the mailing of a first Office Action. Accordingly, no materials other than those listed above are enclosed.
- II. Following the latter of either three (3) months following the filing date or the mailing of a first Office Action, but before the mailing of a final Office Action or a Notice of Allowance. Accordingly, to secure consideration thereof, one (1) of the following is also enclosed:
 - Promptness Certification; or
 - Check No. _____ in the amount of _____ constituting the submission fee set forth in 37 C.F.R. § 1.17(p).
- III. After the mailing of a Notice of Allowance, but before payment of the Issue Fee. Accordingly, in order to secure consideration thereof, each of the following are also enclosed:
 - Promptness Certificate;
 - Petition for Consideration; and

— Check No. in the amount of ____ constituting the petition fee set forth in 37 C.F.R. § 1.17(i)(1).

IV. — After payment of the Issue Fee. Accordingly, in order to secure consideration thereof, each of the following are also enclosed:

— Petition to Withdraw from Issue; and

— Check No. ____ in the amount of ____ constituting the petition fee set forth in 37 C.F.R. § 1.17(i)(1).

C. Fees

The Commissioner is hereby authorized to charge payment of or any deficiency in the following fees associated with this communication, or to credit any overpayment thereof, to Deposit Account No. 23-3178. A duplicate copy of this letter is enclosed.

Any fee required in relation to filing of this letter or any documents transmitted therewith.

— The submission fee set forth in 37 C.F.R. § 1.17(p) in the event that 37 C.F.R. § 1.97(c) applies and the Examiner is not satisfied that any Promptness Certificate submitted meets the requirements of 37 C.F.R. § 1.97(e).

— The submission fee set forth in 37 C.F.R. § 1.17(p).

— The petition fee set forth in 37 C.F.R. § 1.17(i)(1).

Dated this 8th day of December 2004.

Respectfully submitted,



CARL T. REED
Attorney for Applicant
Registration No. 45,454
Customer No. 022913
Telephone No. 801.533.9800



PATENT APPLICATION
Docket No: 15436.247.40.1.1

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of

Sol P. DiJaili et al.

Serial No.: 10/789,126) Art Unit
Filing Date: February 27, 2004) 2633
Confirmation No.: 7346)
For: OPTICAL LATCH BASED ON LASING)
SEMICONDUCTOR OPTICAL AMPLIFIERS)

INFORMATION DISCLOSURE STATEMENT
UNDER 37 C.F.R. § 1.97

Commissioner for Patents
PO Box 1450
Alexandria, Virginia 22313-1450

Sir:

Please find, pursuant to 37 C.F.R. § 1.98(a)(1), the enclosed Form PTO-1449 which contains a list of all patents, publications, or other items that have come to the attention of one or more of the individuals designated in 37 C.F.R. § 1.56(c). While no representation is made that these references may be "prior art" within the meaning of that term under 35 U.S.C. §§ 102 or 103, the enclosed listed references are disclosed so as to fully comply with the duty of disclosure set forth in 37 C.F.R. § 1.56.

Moreover, while no representation is made that a specific search of office files or patent office records has been conducted or that no better art exists, the undersigned attorney of record believes that the enclosed art is the closest to the claimed invention (taken in its entirety) of which the undersigned is presently aware, and no art which is closer to the claimed invention (taken in its entirety) has been knowingly withheld.

In accordance with 37 C.F.R. §§ 1.97 and 1.98, a copy of each of the listed references or relevant portion thereof that is not a US patent document is also enclosed.

Statement of Relevance of References Listed

Unaccompanied by English Translation

Under 37 CFR § 1.98(a)(3)

In accordance with 37 CFR § 1.98(a)(3), the following concise explanation of the relevance of each listed reference that is not in the English language and unaccompanied by a translation into English is provided.

Japanese Application No. 1-129483: PURPOSE: To obtain a constant gain with respect to injected light without depending upon the state of polarization of the light by mutually crossing the thickness directions of active layers in two semiconductor laser elements arranged onto the same optical path in a cascade manner at right angles to the deflection of light on the optical path. CONSTITUTION: Light propagated in a single-mode optical fiber 1 is injected to an active layer 4 in a light amplifier 3 through a SELFOC lens 2, and amplified respectively to TE waves and TM waves only by gains GTE₁, GTM₁, and output. Amplified light is injected to an active layer 7 in a light amplifier 6 through a lens 5", and amplified respectively only by gains GTE₂, GTM₂, and output. When an optical isolator 10 having no polarized wave dependency is inserted between the light amplifiers 3, 6, light returns to the light amplifier 3 at a pre-stage owing to the incompleteness of a non-reflective film, thus preventing the generation of the increase of noises and the saturation of gains. When an optical filter is used at an outgoing end, the quantity of spontaneous emission light of the light amplifier 3 is reduced.

Japanese Application No. 10-190147: PROBLEM TO BE SOLVED: To provide a surface type multifunctional optical element which can obtain a sufficiently large transmission gain, can operate stably even when the element is connected in multiple stages without using any optical signal beam, and has a large operating margin. SOLUTION: In a surface type multifunctional optical element, a first reflector 1 having a reflectance R₁, a light receiving section 4 having a single-path transmissivity α , a third reflector 3 having a reflectance R₃, a light amplifying section 5 having a single-path gain G_s, and a second reflector 2 having a reflectance R₂ are formed in this order from the incident side. In addition, an electrode terminal 6 which controls the single-path transmissivity α of the light receiving section 4 and, at the same time, fetches received electric signals and another electrode terminal 7 which gives a gain to the light amplifying section 5 are also provided in the optical element. The first and second reflectors 1 and 3 and second and third reflectors 2 and 3 respectively constitute first and second optical resonator 8 and 9 for signal light. The operating condition of the optical element is set so that $R_1 \cdot \alpha^2$ and $R_2 \cdot 1/G^2$ can be met.

Japanese Application No. 56-6492: PURPOSE: To obtain an output signal having high S/N ratio from a light amplifier by coupling semiconductor lasers having different oscillation outputs on a light irradiating line and sequentially coupling between the respective semiconductor lasers to input signal. CONSTITUTION: A semiconductor laser (LD) of the first stage is an oscillated state, and is moved slightly in the oscillated state toward an increase in the output by the coupling effect of an input light signal inputted from a fiber. An LD of the second stage is turned on due to the increase in the oscillation due to the coupling effect of the LD of the first stage to start oscillation. Although an

December 8, 2004

Page 3

LD of the third stage is set in oscillated state, when the LD of the second stage starts oscillating, it transfers its oscillating state so as to transmit the light signal due to only the lay of the coupling time.

Japanese Application No. JP02000012978A: PROBLEM TO BE SOLVED: to amplify a signal light having nearby wavelength of that of a laser oscillation light by outputting only an amplified signal light, without the use of an optical filter in a optical amplifier using an operational principle of a traditional gain clamp semiconductor optical amplifier.

Dated this 8th day of December 2004.

Respectfully submitted,



CARL T. REED
Attorney for Applicant
Registration No. 45,454
Customer No. 022913
Telephone No. 801.533.9800

CTR:dfw

W:\15436\247.40.1.1\DFW0000012365V001.DOC

Applicant: Sol P. DiJaili et al.
 Serial No.: 10/789,126
 Filing Date: February 27, 2004
 For: OPTICAL LATCH BASED ON LASING SEMICONDUCTOR OPTICAL AMPLIFIERS

Confirmation No.: 7346
 Att'y Docket No.: 15436.247.40.1.1
 Group: 2633



INFORMATION DISCLOSURE CITATIONS MADE BY APPLICANT

U.S. Patent Documents

| Examiner Initial* | Document Number | Issue Date | Name |
|-------------------|-----------------|------------|------------------|
| 1 | 3,467,906 | 09/16/1969 | Cornely et al. |
| 2 | 3,828,231 | 08/06/1974 | Yamamoto |
| 3 | 4,794,346 | 12/27/1988 | Miller |
| 4 | 5,299,054 | 03/29/1994 | Geiger |
| 5 | 5,305,412 | 04/19/1994 | Paoli |
| 6 | 5,436,759 | 07/25/1995 | Dijaili et al. |
| 7 | 5,604,628 | 02/18/1997 | Parker et al. |
| 8 | 5,654,822 B1 | 08/05/1997 | Ducellier et al. |
| 9 | 5,673,141 B1 | 09/30/1997 | Gambini |
| 10 | 5,748,653 | 05/05/1998 | Parker et al. |
| 11 | 5,754,571 | 05/19/1998 | Endoh et al. |
| 12 | 5,771,320 | 06/23/1998 | Stone |
| 13 | 5,778,132 | 07/07/1998 | Csipkes et al. |
| 14 | 5,805,322 | 09/08/1998 | Tomofuji |
| 15 | 5,949,807 | 09/07/1999 | Fujimoto et al. |
| 16 | 5,960,024 | 09/28/1999 | Li et al. |
| 17 | 5,999,293 | 12/07/1999 | Manning |
| 18 | 6,044,100 | 03/28/2000 | Hobson et al. |
| 19 | 6,061,156 | 05/09/2000 | Takeshita et al. |
| 20 | 6,115,517 | 09/05/2000 | Shiragaki et al. |
| 21 | 6,128,115 | 10/03/2000 | Shiragaki et al. |

Examiner:

Date Considered:

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609, draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Applicant: Sol P. DiJaili et al.
 Serial No.: 10/789,126
 Filing Date: February 27, 2004
 For: OPTICAL LATCH BASED ON LASING SEMICONDUCTOR OPTICAL AMPLIFIERS

Confirmation No.: 7346
 Att'y Docket No.: 15436.247.40.1.1
 Group: 2633

| | | | |
|---------|-----------------|------------|-------------------|
| ____ 22 | 6,243,407 | 06/05/2001 | Mooradian |
| ____ 23 | 6,317,531 B1 | 04/10/2001 | Lagerstrom et al. |
| ____ 24 | 6,215,583 B1 | 11/13/2001 | Chen et al. |
| ____ 25 | 6,333,799 B1 | 12/25/2001 | Bala et al. |
| ____ 26 | 6,335,992 B1 | 01/01/2002 | Bala et al. |
| ____ 27 | 6,347,104 B1 | 02/12/2002 | Dijaili et al. |
| ____ 28 | 6,445,495 B1 | 09/03/2002 | Walker et al. |
| ____ 29 | 6,462,865 B1 | 10/08/2002 | Chu et al. |
| ____ 30 | 6,512,629 B1 | 01/28/2003 | Dijaili et al. |
| ____ 31 | 6,522,462 B2 | 02/18/2003 | Chu et al. |
| ____ 32 | 6,577,654 B1 | 06/10/2003 | Dijaili et al. |
| ____ 33 | 6,647,041 B1 | 11/11/2003 | Verma et al. |
| ____ 34 | 6,707,600 B1 | 03/16/2004 | Dijaili et al. |
| ____ 35 | 6,714,344 B2 | 03/30/2004 | Islam et al. |
| ____ 36 | 2002/0001112 | 01/03/2002 | Song |
| ____ 37 | 2004/0012845 A1 | 01/22/2004 | Wang |
| ____ 38 | 2004/0017604 A1 | 01/29/2004 | DiJaili et al. |

Foreign Patent Documents

| Examiner <u>Initial*</u> | Document <u>Number</u> | Publication <u>Date</u> | Country or <u>Patent Office</u> | <u>Translation</u> |
|-----------------------------|---------------------------|----------------------------|------------------------------------|--------------------|
| ____ 39 | 56-6492 ✓ | 01/23/1981 | Japan | No |
| ____ 40 | 10-190147 ✓ | 07/21/1998 | Japan | No |
| ____ 41 | 1-129483 ✓ | 05/22/1989 | Japan | No |
| ____ 42 | 02000012978A ✓ | 01/14/2000 | Japan | No |

Examiner:

Date Considered:

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609, draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Applicant: Sol P. DiJaili et al.

Confirmation No.: 7346

Serial No.: 10/789,126

Att'y Docket No.: 15436.247.40.1.1

Filing Date: February 27, 2004

Group: 2633

For: OPTICAL LATCH BASED ON LASING SEMICONDUCTOR OPTICAL AMPLIFIERS

Other Documents

(including author, title, pertinent pages, etc.)

Examiner

Initial*

____ 43 Alcatel, *Alcatel Optronics Introduces a Gain-Clamped Semiconductor Optical Amplifier*, Press Release for Immediate Publication, OFC 1998, San Jose, 1 unnumbered page, February 1998.

____ 44 S. Diez et al., *All-Optical Switch for TDM and WDM/TDM Systems Demonstrated in a 640 Gbit/s Demultiplexing Experiment*, Electronics Letters, Vol. 34, No. 8, pp. 803-805, April 16, 1988.

____ 45 S. Diez et al., *Gain-Transparent SOA-Switch for High-Bitrate OTDM Add/Drop Multiplexing*, IEEE Photonic Technology Letters, Vol. 11, No. 1, pp. 60-62, January 1999.

____ 46 S. Diez et al., *Novel Gain-Transparent SOA-Switch for High Bitrate ODTM Add/Drop Multiplexing*, ECOC 1998, Vol. 1, pp. 461-462, September 1998.

____ 47 F. Dorgeuille et al., *1.28 Tbit/s Throughput 8x8 Optical Switch Based on Arrays of Gain-Clamped Semiconductor Optical Amplifier Gates*, Optical Fiber Communication Conference, Vol. 4, pp. 221-223, March 2000.

____ 48 F. Dorgeuille et al., *Fast Optical Amplifier Gate Array for WDM Routing and Switching Applications*, OFC 1998 Technical Digest, pp. 42-44, 1998.

____ 49 P. Doussiere et al., *Clamped Gain Traveling Wave Semiconductor Optical Amplifier for Wavelength Division Multiplexing Application*, IEEE, US, Vol. Conf. 14, pp. 185-186, New York, September 14, 1994.

____ 50 J.D. Evankow, Jr., et al., *Photonic Switching Modules Designed with Laser Diode Amplifiers*, IEEE, Journal on Selected Areas in Communications, Vol. 6, No. 7, pp. 1087-1095, August 1988.

____ 51 B. Femier et al., *Fast (3000 ps) Polarization Insensitive Semiconductor Optical Amplifier Switch with Low Driving Current (70 mA)*, Semiconductor Laser Conference, Conference Digest, 14th IEEE International, pp. 130-131, September 21-15, 1992.

____ 52 J.E. Fouquet et al., *Compact, Scalable Fiber Optic Cross-Connect Switches*, IEEE, 1999 Digest of the LEOS Summer Topical Meetings, pp. 59-60, 1999.

Examiner:

Date Considered:

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609, draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Applicant: Sol P. DiJaili et al.

Confirmation No.: 7346

Serial No.: 10/789,126

Att'y Docket No.: 15436.247.40.1.1

Filing Date: February 27, 2004

Group: 2633

For:

OPTICAL LATCH BASED ON LASING SEMICONDUCTOR OPTICAL AMPLIFIERS

____ 53 M.M. Ibrahim, *Photonic Switch Using Surface-Emitting Laser Diode and AOD*, 16th National Radio Science Conference, NRSC 1999, pp. 1-8, Ain Shams University, Cairo, Egypt, February 23-25, 1999.

____ 54 G. Jeong et al., *Gain Optimization in Switches Based on Semiconductor Optical Amplifiers*, Journal of Lightwave Technology, Vol. 13, No. 4, pp. 598-605, April 1995.

____ 55 S. Kitamura et al., *Spot-Size converter Integrated Semiconductor Optical Amplifiers for Optical Gate Applications*, IEEE Journal of Quantum Electronics, Vol. 35, No. 7, pp. 1067-1074, July 1999.

____ 56 J. Leuthold et al., *All-Optical Space Switches with Gain and Principally Ideal Extinction Ratios*, IEEE Journal of Quantum Electronics, Vol. 34, No. 4, pp. 622-633, April 1998.

____ 57 L.R. McAdams et al., *Linearizing High Performance Semiconductor Optical Amplifiers: Techniques and Performance*, LEOS Presentation, pp. 363-364, 1996.

____ 58 J. Mork et al., *Semiconductor Devices for All-Optical Signal Processing: Just How Fast Can They Go?*, IEEE Lasers and Electro-Optics Society 1999 12th Annual Meeting, LEOS 1999, Vol. 2, pp. 900-901, November 8-11, 1999.

____ 59 V.G. Mutualik et al., *Analog Performance of 1310-nm Gain-Clamped Semiconductor Optical Amplifiers*, OFC 1997 Technical Digest, pp. 266-267, 1997.

____ 60 K. Panajotov et al., *Polarisation Switching in Proton-Implanted VCSELs*, 1999 Digest of the LEOS Summer Topical Meetings, pp. 55-56, July 26-30, 1999.

____ 61 B.C. Qui et al., *Monolithically Integrated Fabrication of 2x2 and 4x4 Crosspoint Switches Using Quantum Well Intermixing*, 2000 International Conference on Indium Phosphide and Related Materials, Conference Proceedings, pp. 415-418, May 14-18, 2000.

____ 62 J. Scheuer et al., *Nonlinear On-Switching of High Spatial Frequency Patterns in Ring Vertical Cavity Surface Emitting Lasers*, 1999 IEEE LEOS Annual Meeting Conference Proceedings, 12th Annual Meeting, IEEE Lasers and Electro-Optics Society 1999 Annual Meeting, Vol. 1, pp. 123-124, November 8-9, 1999.

____ 63 H. Soto et al., *All-Optical Switch Demonstration Using a Birefringence Effect in a Semiconductor Optical Amplifier*, IEEE CLEO, Pacific rim 1999, pp. 886-889, 1999.

Examiner:

Date Considered:

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609, draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Applicant: Sol P. DiJaili et al.

Confirmation No.: 7346

Serial No.: 10/789,126

Att'y Docket No.: 15436.247.40.1.1

Filing Date: February 27, 2004

Group: 2633

For:

OPTICAL LATCH BASED ON LASING SEMICONDUCTOR OPTICAL AMPLIFIERS

____ 64 C. Tai et al., *Dynamic Range and Switching Speed Limitations of an N x N Optical Packet Switch Based on Low-Gain Semiconductor Optical Amplifiers*, IEEE Journal of Lightwave Technology, Vol. 14, No. 4, pp. 525-533, April 4, 1996.

____ 65 L.F. Tiemeijer et al., *High-Gain 1310 nm Semiconductor Optical Amplifier Modules with a Built-In Amplified Signal Monitor for Optical Gain Control*, IEEE Photonics Technology Letters, Vol. 9, No. 3, pp. 309-311, March 1997.

____ 66 G. Toptchiyski et al, *Time-Domain Modeling of Semiconductor Optical Amplifiers for OTDM Applications*, IEEE Journal of Lightwave Technology, Vol. 17, No. 12, pp. 2577-2583, December 1999.

____ 67 L.F. Tiemeijer et al., *Reduced Intermodulation Distortion in 1300 nm Gain-Clamped MQW Laser Amplifiers*, IEEE Photonics Technology Letters, Vol. 7, No. 3, pp. 284-286, March 1995.

____ 68 R. van Roijen et al., *Over 15 dB Gain From a Monolithically Integrated Optical Switch with an Amplifier*, IEEE Photonics Technology Letters, Vo. 5, No. 5, pp. 529-531, May 1993.

____ 69 N. Yoshimoto et al., *Spot-Size Converted Polarization-Insensitive SOA Gate with a Vertical Tapered Submicrometer Stripe Structure*, IEEE Photonics Technology Letters, Vol. 10, No. 4, pp. 510-512, April 4, 1998.

____ 70 J.D. Walker et al., *A Gain-Clamped, Crosstalk Free, Vertical Cavity Lasing Semiconductor Optical Amplifier for WDM Applications*, summaries of the papers presented at the topical meeting, Integrated Photonics Search; 1996 Technical Digest Series; Proceedings of Integrated Photonics; Boston, MA, USA, 29.04-02.05 1996, Vol. 6, pp. 474-477.

____ 71 B. Bauer et al., *Gain Stabilization of a Semiconductor Optical Amplifier by Distributed Feedback*, IEEE Photonics Technology Letters, Vol. 6, No. 2, pp. 182-185, February 1994.

____ 72 S. Gee et al., *High-Power Mode-Locked External Cavity Semiconductor Laser Using Inverse Bow-Tie Semiconductor Optical Amplifiers*, IEEE Journal of Selected topics in Quantum Electronics, Vol. 4, No. 2, pp. 209-215, March/April 1998.

____ 73 C.H. Joyner et al, *Extremely Large Band Gap Shifts for MQW Structures by Selective Epitaxy on SiO₂ Masked Substrates*, IEEE Photonics Technology Letters, Vol. 4, No. 8, pp. 1006-1009, September 1992.

Examiner:

Date Considered:

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609, draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Applicant: Sol P. DiJaili et al.
Serial No.: 10/789,126
Filing Date: February 27, 2004
For: OPTICAL LATCH BASED ON LASING SEMICONDUCTOR OPTICAL AMPLIFIERS

Confirmation No.: 7346
Att'y Docket No.: 15436.247.40.1.1
Group: 2633

____ 74 F. Koyama et al., *Multiple-Quantum-Well GaInAs/GaInAsP Tapered Broad-Area Amplifiers with Monolithically Integrated Waveguide Lens for High-Power Applications*, IEEE Photonics Technology Letters, Vol. 5, No. 8, pp. 916-919, August 1993.

____ 75 J.C. Simon et al., *Travelling Wave Semiconductor Optical Amplifier with Reduced Nonlinear Distortions*, Electronics Letters, Vol. 30, No. 1, pp. 49-50, January 6, 1994.

____ 76 L.F. Tiemeijer et al., *1310-nm DBR-Type MQW Gain-Clamped Semiconductor Optical Amplifiers with AM-CATV-Grade Linearity*, IEEE Photonics Technology Letters, Vol. 8, No. 11, pp. 1453-1455, November 1996.

____ 77 L.F. Tiemeijer et al., *High-Gain 1310 nm Semiconductor Optical Amplifier Modules with a Built-in Amplified Signal Monitor for Optical Gain Control*, IEEE Photonics Technology Letters, Vol. 9, No. 3, pp. 309-311, March 1997.

____ 78 Agility Unveils Long-Haul Laser, Light-Reading – The Global Site for Optical Networking, retrieved from internet www.lightreading.com/document.asp, March 30, 2001.

____ 79 Wolfson et al., *Detailed Theoretical Investigation of the Input Power Dynamic Range for Gain-Clamped Semiconductor Optical Amplifier Gates at 10 Gb/s*, IEEE Photonics Technology Letters, 1998, Vol. 10, No. 9, pp. 1241-1243.

____ 80 F. Robert et al., *All-Optical Set-Rest Operation of a Bistable Semiconductor Laser Intracavity-Coupled to a Vertical-Cavity Surface-Emitting Laser*, IEEE Photonic Technology Letters, Vol. 12, No. 5, May 2000, pp. 465-467.

____ 81 D.B. Shire et al., *Gain Controlled Vertical Cavity Surface Emitting Lasers Coupled with Intracavity In-plane Lasers*, Appl. Phys. Lett. Vol. 66, No. 14, April 3, 1995, pp. 1717-1719.

Examiner:

Date Considered:

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609, draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Applicant: Sol P. DiJaili et al.

Confirmation No.: 7346

Serial No.: 10/789,126

Att'y Docket No.: 15436.247.40.1.1

Filing Date: February 27, 2004

Group: 2633

For: OPTICAL LATCH BASED ON LASING SEMICONDUCTOR OPTICAL AMPLIFIERS

References Cited by Applicants

While the filing of Information Disclosure Statements is voluntary, the procedure is governed by the guidelines of Section 609 of the Manual of Patent Examining Procedure and 37 C.F.R. §§ 1.97 and 1.98. To be considered a proper Information Disclosure Statement, Form PTO-1449 shall be accompanied by a copy of each listed patent or publication or other item of information and a translation of the pertinent portions of foreign documents (if an existing translation is readily available to the applicant), an explanation of relevance of each reference not in the English language, and should be submitted in a timely manner as set out in MPEP Sec. 609.

Examiners will consider all citations submitted in conformance with 37 C.F.R. § 1.98 and MPEP Sec. 609 and place their initials adjacent the citations in the spaces provided on this form. Examiners will also initial citations not in conformance with the guidelines which may have been considered. A reference may be considered by the Examiner for any reason whether or not the citation is in full conformance with the guidelines. A line will be drawn through a citation if it is not in conformance with the guidelines AND has not been considered. A copy of the submitted form, as reviewed by the Examiner, will be returned to the applicant with the next communication. The original of the form will be entered into the application file.

Each citation initialed by the Examiner will be printed on the issued patent in the same manner as references cited by the Examiner on Form PTO-892.

The reference designations "A1," "A2," etc. (referring to Applicant's reference 1, Applicant's reference 2, etc.) will be used by the Examiner in the same manner as Examiner's reference designations "A," "B," "C," etc. on Office Action Form PTO-1142.

W:\15436\247.40.1.1\DFW0000012366V001.doc

Examiner:

Date Considered:

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609, draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.



PATENT APPLICATION
Docket No: 15436.247.40.1.1

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

CERTIFICATE OF DEPOSIT UNDER 37 C.F.R. § 1.8

I hereby certify that the following documents are being deposited with the United States Postal Service as First Class Mail, postage prepaid, in an envelope addressed to: Commissioner for Patents, PO Box 1450, Alexandria, Virginia 22313-1450, on the 8th day of December 2004.

- Transmittal for Information Disclosure Statement (3 pages)
- Information Disclosure Statement (3 pages)
- Form PTO-1449 listing 81 references (7 pages)
- A copy of 43 Non-US references listed on the Form PTO-1449
- Postcard

Respectfully submitted,

Carl Reed

CARL T. REED
Attorney for Applicant
Registration No. 45,454
Customer No. 022913
Telephone No. 801.533.9800

CTR:dfw
W:\15436247.40.1.\DFW000012365V001.DOC